

AMENDMENTS TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF THE CLAIMS

1. (Previously Presented) In a telecommunications network, a method of providing real-time Internet access to a caller having only a standard telephone and plain old telephone service, comprising the steps of:

receiving at a local switch a destination number representing a request for Internet access from the caller, wherein the destination number includes a feature activation code, a series of numbers representing a URL for a Web site, and a special code to signal the end of the URL;

routing the call to an Internet server for providing the Internet access;

converting the destination number to a URL (universal resource locator) at the Internet server;

routing the URL from the Internet server to the Internet;

receiving a response from the Internet at the Internet server, the response including digital information;

converting the digital information in the response to a voice message, the voice message including information from the Web site and prompts for the caller;

routing the voice message to the caller; and

releasing the call when the local switch recognizes that a special code has been entered by the caller.

2. (Cancelled)

3. (Cancelled)

4. (Original) The method defined in claim 1, wherein the Internet server includes a data processor for processing information, tone detection circuitry for recognizing dialed multi-frequency tone signals, a text-to-speech system for generating

voice messages and announcements to be played to the caller, and data memory for formulating queries and responses to the caller.

5. (Original) The method defined in claim 1, wherein the local switch includes a URL interceptor for routing the call to the Internet server.

6. (Previously Presented) The method defined in claim 1, wherein the Internet server includes a data processor, tone detection circuitry, a text-to-speech system, and data memory.

7. (Cancelled)

8. (Previously Presented) The method defined in claim 5, wherein the Internet server includes a data processor, tone detection circuitry, a text-to-speech system, and data memory.

9. (Original) The method defined in claim 8, wherein the local switch includes a URL interceptor for routing the call to the Internet server.

10. (Previously Presented) A system for providing real-time Internet access to a caller having only a standard telephone and plain old telephone service, comprising:

means for receiving at a local switch a destination number representing a request for Internet access from the caller, wherein the destination number includes a feature activation code, a series of numbers representing a URL for a Web site, and a special code to signal the end of the URL;

means for routing the call to an Internet server for providing the Internet access;

means for converting the destination number to a URL at the Internet server;

means for routing the URL from the Internet server to the Internet;

means for receiving a response from the Internet at the Internet server, the response including digital information;

means for converting the digital information in the response to a voice message, the voice message including information from the Web site and prompts for the caller;

means for routing the voice message to the caller; and

means for releasing the call when the local switch recognizes that a special code has been entered by the caller.

11. (Cancelled)

12. (Cancelled)

13. (Original) The system defined in claim 10, wherein the Internet server includes a data processor for processing information, tone detection circuitry for recognizing dialed multi-frequency tone signals, a text-to-speech system for generating voice messages and announcements to be played to the caller, and data memory for formulating queries and responses to the caller.

14. (Original) The system defined in claim 10, wherein the local switch includes a URL interceptor for routing the call to the Internet server.

15. (Previously Presented) The system defined in claim 10, wherein the Internet server includes a data processor, tone detection circuitry, a text-to-speech system, and data memory.

16. (Cancelled)

17. (Previously Presented) The system defined in claim 14, wherein the Internet server includes a data processor, tone detection circuitry, a text-to-speech system, and data memory.

18. (Original) The system defined in claim 17, wherein the local switch includes a URL interceptor for routing the call to the Internet server.